



COFFEE MACHINE




- Top and bottom hotplate, indicator light.
- Fast filtering system with flow-through element
- 1.8 litres in 5 minutes.
- Continuous temperature of 93 - 96°C.
- Casing and filter holder made of stainless steel.
- 2x 1.8l decanters and 25 [90/250] filters are included.



code	voltage	power	Capacity	size
890101	220-240V	1980W	2.2L	203x403x469MM
890102	220-240V	1980W	2.2Lx2	420x390x450MM
890103	220-240V	1980W	2.5L	210x390x570MM
605810	/	/	1.8L	195x370xH430MM

WARMER



code	voltage	power	size
605901	220V	1100W	210x172x60MM
605902	220V	160W	377x200x60MM

ELECTRIC WATER BOILER / MULLED WINE HEATER

Single walled version




- Insulated double wall designed reduce the heat than single wall
- Ideal for mulled wine, boiling water for tea and hot drinks
- Stainless steel 304 for body, 430 for base
- Temperature control: 30-110 degree
- Automatic turn-off or turn-on temperature control
- Time to boiling: 5L-10L around 30mins, 15L-25L around 50mins
- ON/OFF switch, knob location and light indicator
- Safe locking lid and cool touch handles
- Stainless brushed
- Anti-drip tap
- Protected against boiling dry

Double walled version/Color for option



With or without
Dripping tray for option



Single walled version

code	size	Max line Capacity	Full tank capacity	CBM
HLB050D-A1L	Ø 220 x H420	7.0L	8.8L	0.038
HLB068D-A1L	Ø 220 x H452	7.5L	9.5L	0.039
HLB088D-A1L	Ø 220 x H498	9.0L	10.7L	0.042
HLB100D-A1L	Ø 220 x H500	9.7L	11.7L	0.045
HLB150D-A1L	Ø 290 x H452	15.3L	18.2L	0.063
HLB180D-A1L	Ø 290 x H498	17.7L	20.7L	0.067
HLB220D-A1L	Ø 290 x H558	21.6L	24.6L	0.074
HLB250D-A1L	Ø 290 x H618	25.4L	28.4L	0.083

Double walled version

code	size	Max line Capacity	Full tank capacity	CBM
HLB050S-A1L	Ø 220 x H420	6.2L	8.0L	0.038
HLB068S-A1L	Ø 220 x H437	6.9L	8.8L	0.039
HLB088S-A1L	Ø 220 x H472	8.0L	9.8L	0.042
HLB100S-A1L	Ø 220 x H504	8.8L	10.6L	0.046
HLB150S-A1L	Ø 290 x H485	14.0L	17.0L	0.066
HLB180S-A1L	Ø 290 x H517	16.0L	18.8L	0.070
HLB220S-A1L	Ø 290 x H581	20.0L	23.0L	0.077
HLB250S-A1L	Ø 290 x H640	23.4L	26.7L	0.085



ELECTRIC WATER BOILER / MULLED WINE HEATER

Single walled version



- Insulated double wall designed reduce the heat than single wall
- Ideal for mulled wine, boiling water for tea and hot drinks
- Stainless steel 304 for body,
- Temperature control:30-110 degree
- Automatic turn- off or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- ON/OFF switch, knob location and light indicator
- Safe locking lid and cool touch handles
- Stainless brushed
- Anti-drip tap
- Protected against boiling dry

Double walled version/Color for option



With or without
Dripping tray for option



Single walled version

code	size	Max line Capacity	Full tank capacity	CBM
HLB050D-A1	Ø 220 x H420	7.0L	8.8L	0.038
HLB068D-A1	Ø 220 x H452	7.5L	9.5L	0.039
HLB088D-A1	Ø 220 x H498	9.0L	10.7L	0.042
HLB100D-A1	Ø 220 x H500	9.7L	11.7L	0.045
HLB150D-A1	Ø 290 x H452	15.3L	18.2L	0.063
HLB180D-A1	Ø 290 x H498	17.7L	20.7L	0.067
HLB220D-A1	Ø 290 x H558	21.6L	24.6L	0.074
HLB250D-A1	Ø 290 x H618	25.4L	28.4L	0.083

Double walled version

code	size	Max line Capacity	Full tank capacity	CBM
HLB050S-A1	Ø 220 x H420	6.2L	8.0L	0.038
HLB068S-A1	Ø 220 x H437	6.9L	8.8L	0.039
HLB088S-A1	Ø 220 x H472	8.0L	9.8L	0.042
HLB100S-A1	Ø 220 x H504	8.8L	10.6L	0.046
HLB150S-A1	Ø 290 x H485	14.0L	17.0L	0.066
HLB180S-A1	Ø 290 x H517	16.0L	18.8L	0.070
HLB220S-A1	Ø 290 x H581	20.0L	23.0L	0.077
HLB250S-A1	Ø 290 x H640	23.4L	26.7L	0.085

ELECTRIC COFFEE PERCOLATOR



COLOR




- Safety locking lid, brushed single wall S/S housing and lid
- Working temperature can reach to 95 to 98 degree when coffee brewing, keeps temp. around 90 degree.
- Boiling thermostat, without adjusted temperature knob is 90 to 92 degree, with adjusted knob is 30 to 100 degree.
- Dry heat protection
- Silicone protected ON/OFF switch and with indicator lights/words
- Visual temperature degree



Current designed coffee strainer



Newest designed coffee strainer



Single walled version

code	size	Max line Capacity	Full tank capacity	CBM
HLB050D-A2K	Ø 220 × H412	5.6L	8.9L	0.038
HLB068D-A2K	Ø 220 × H452	6.3L	9.7L	0.039
HLB088D-A2K	Ø 220 × H472	7.6L	10.9L	0.042
HLB100D-A2K	Ø 220 × H500	8.5L	11.8L	0.045
HLB150D-A2K	Ø 290 × H452	12.7L	18.4L	0.063
HLB180D-A2K	Ø 290 × H498	14.7L	21.0L	0.067
HLB220D-A2K	Ø 290 × H558	19.3L	25.1L	0.075

Double walled version

code	size	Max line Capacity	Full tank capacity	CBM
HLB050S-A2K	Ø 220 × H420	5.0L	8.0L	0.039
HLB068S-A2K	Ø 220 × H437	5.8L	8.8L	0.040
HLB088S-A2K	Ø 220 × H498	6.8L	9.8L	0.043
HLB100S-A2K	Ø 220 × H504	7.6L	10.6L	0.046
HLB150S-A2K	Ø 290 × H485	11.4L	17.0L	0.067
HLB180S-A2K	Ø 290 × H517	13.5L	18.8L	0.070
HLB220S-A2K	Ø 290 × H581	17.8L	23L	0.077




ELECTRIC STEAM BOILER / STERILIZER



- ON/OFF switch with silicone rubber cover
- Heating and keep warm indicator light
- Automatically re-boil temperature control
- Four pieces steam outlet on the lid for safety used
- Add heat-sink window on the permanent seat, make sure the long service life and safety used
- Adjustable timer, available to continuously make steam in the boiler for 2 hours
- Twist-lock safety designed cover
- Simple steam sterilizer for the kitchen




Lid with steam outlet



Inner view



Anti-drip water tap



Temperature knob 30-110°C

code	size	Max line Capacity	Full tank capacity	CBM
HLB180D-A1H1	Ø 290 x H515	17.7L	20.7L	0.070
HLB250D-A1H1	Ø 290 x H640	25.4L	28.4L	0.085

ELECTRIC BEVERAGE INSULATED BARREL



- Thickened stainless steel shell, dust and splash proof, strengthen heat preservation.
- Bakelite heat resistant handle comfortable to hold.
- Resin faucet, can be folded 90° high temperature resistance without breaking.
- Working light.
- Temperature control rotary knob.

code	size	Capacity	Actual using capacity	power	Unit CBM
A800201	Ø 285×H490	30L	19L	2500W	0.068
A800202	Ø 335×H540	40L	29L	2800W	0.097
A800203	Ø 390×H600	50L	46L	2800W	0.138
A800204	Ø 410×H635	60L	48L	3400W	0.158

BEVERAGE INSULATED BUCKET - ROUND SHAPE



- Resin faucet, smooth water without dripping.
- Inner layer food grade stainless steel.
- Spiral lid, tight more heat preservation, safe and not hot.
- Full PU foam material 12 hours long lasting insulation/cold protection.
- LCD Display always know the temperature change in the barrel.



A801101



A800701



Inner layer food grade stainless steel



Fold able tripod

code1	code2	size	Capacity	Actual using capacity	Unit CBM
A800701		Ø 240 × H320	6L	4L	0.233
A800702	A801102	Ø 240 × H370	8L	6L	0.28
A800703	A801103	Ø 240 × H420	10L	7.5L	0.303
A800704	A801104	Ø 240 × H470	12L	9.5L	0.34
A800705		Ø 280 × H420	14L	11.5L	0.370
A800706		Ø 280 × H470	16L	13L	0.39
A800707		Ø 280 × H520	18L	15L	0.462

BEVERAGE INSULATED BUCKET - SQUARE SHAPE



A800501



A800401

- 24H insulation/keep cold.
- Material selection with care 304 Stainless Steel inner Liner.
- Temperature Count Display
- Thicker weight carrying handle, idle can be put down
- Portable and space-saving.
- Flexible and easy to open to increase height.
- Large capacity, long-lasting insulation and cold storage.

code1	code2	size	Capacity	Actual using capacity	Unit CBM
A800401	A800501	245 × 245 × 300	6L	4L	0.233
A800402	A800502	245 × 245 × 345	8L	6L	0.28
A800403	A800503	245 × 245 × 400	10L	8L	0.303
A800404	A800504	245 × 245 × 455	12L	10L	0.34

BEVERAGE INSULATED BUCKET - OVAL SHAPE



code	size	Capacity	Actual using capacity	Unit CBM
A800601	290×180×280	6L	4L	0.233
A800602	290×180×320	8L	6L	0.28
A800603	290×180×370	10L	8L	0.303
A800604	290×180×430	12L	10L	0.34



FOOD WARMER LAMP



- The body of the pot is made of 304 food grade material. 270w infrared Insulation lamp.
- High power heating base, One-piece design, 400w highpower heating/warming.
- Heated across water for continuous insulation
Extend the time to enjoy delicious food.
- Intelligent CNC panel, Rapid heat conduction, multi-level temperature regulation.
- Suitable for buffet hotel restaurant widely used.



► Heated across water for continuous insulation, Extend the time to enjoy delicious food.



► Intelligent CNC panel, multi-level temperature adjustment

code	voltage	power	size
405002	220V	270+400W	500x380xH850MM



ELECTRIC SOUP KETTLE



431901



- stainless steel soup warmer also boasts a large capacity
- comes with an easy-to-use temperature knob.
- soup kettle features with the black finished or a shiny metal exterior that looks polished and professional on top of buffet tables, different color for identify different foods
- Just add water to the kettle and place the inset inside to keep hot soups, stews, chilies, and sauces at safe serving temperatures.



432501



431902



433101



432401



432601

code	voltage	power	Dimension(mm)	Capacity
431901	220-240V/120V	400W	Ø 340 x H370	10L
431902	220-240V/120V	400W	Ø 400 x H390	13L
433101	220-240V/120V	500W	Ø 270 x H300	10L
432401	220-240V/120V	600W	Ø 290 x H380	10L
432501	220-240V/120V	600W	Ø 380 x H410	13L
432601	220-240V/120V	500W	Ø 310 x H350	11L

S.S.

GN HOLDER



size(mm)	Description	PCS/CTN	Item No.
515*245*215	3 grids	1	441501
685*245*215	4 grids	1	441502
835*245*215	5 grids	1	441503
1025*245*215	6 grids	1	441504
345*425*250	2x2 grids	1	441505
515*425*250	3x2 grids	1	441506
544*225*241	3 grids & flip cover	1	441507
715*225*241	4 grids & flip cover	1	441508
886*225*241	5 grids & flip cover	1	441509
1057*225*241	6 grids & flip cover	1	441510
760*325*160	2 grids	1	441511
1100*325*160	3 grids	1	441512




CUP DISPENSER



480504-6



480501-3



STAINLESS STEEL COOLING PACK

size(mm)	Description	PCS/CTN	Item No.	size(mm)	Description	PCS/CTN	Item No.
140*140*650	dia.71~79mm	12	480501	530*325*45	1/1	1	412801
140*140*650	dia.81~89mm	12	480502	325*265*45	1/2	1	412802
140*140*650	dia.91~99mm	12	480503	325*176*45	1/3	1	412803
280*150*680	2 holes	1	480504	265*165*45	1/4	1	412804
460*150*680	3 holes	1	480505	353*325*45	2/3	1	412805
580*150*680	4 holes	1	480506				

STAINLESS STEEL CUTLERY HOLDER



470101



470102



470103




470104



470105



470106



470107




470108

size(mm)	Description	PCS/CTN	Item No.
385*150*H180	3 grids	1	470101
505*150*H180	4 grids	1	470102
630*150*H180	5 grids	1	470103
265*305*H200	2x2 grids	1	470104
385*305*H200	3x2 grids	1	470105
505*305*H200	4x2 grids	1	470106
310*165*H410	stand & 3 grids	1	470107
385*305*H200	3x2 grids & handle	1	470108





404101

BUFFET RACK

404102



404103



404104

size(mm)	Description	PCS/CTN	Item No.
530*360*450	for bowls & basket	2	404101
530*360*450	for 1/2 & 1/1 basket	2	404102
530*360*450	for 1/2 & 1/1 gn pan	2	404103
530*350*450	for 1/2 & 1/1 melamine pan	2	404104

STAINLESS STEEL SALAD BOWL&COVER

size(mm)	Description	PCS/CTN	Item No.
BOWL: 295*245*H140 COVER: 245*245*30	salad bowl & cover	18	411611

STAINLESS STEEL DISPLAY STAND

- Remark: Can add the cooliq pack



size(mm)	Description	Color	Item No.
580*350*250	1/1 20mm GN pan	Silver	404201
580*350*250	1/1 20mm GN pan	Golden	404202
580*350*250	1/1 20mm GN pan	Black	404203
580*350*250	1/1 65mm GN pan	Silver	404204
580*350*250	1/1 65mm GN pan	Golden	404205
580*350*250	1/1 65mm GN pan	Black	404206



SNACK BASKET

- Material: cylindrical Ss304



size(mm)	PCS/CTN	Item No.
Φ90*85	48	504101
Φ120*115	48	504102

- Material: trapezium Ss304



size(mm)	PCS/CTN	Item No.
105*90*63	48	504103
130*115*80	48	504104

- Material: rectangle Ss304



size(mm)	PCS/CTN	Item No.
130*130*100	8	504105
215*100&45	50	504106
260*130*50	48	504107

- Material: rectangle Ss304




504108



504109



504110



504111



504112



504113

size(mm)	PCS/CTN	Item No.
370*165*90	48	504108
Φ105*Φ95*165	48	504109
95*220	48	504110
185*115*200	48	504111
185*115*200	48	504112
207*115*200	48	504113



SAUCE BOAT



Size(mm)	Remark	PCS/CTN	Item No.
110*63*52	3oz	216	604401
140*77*57	5oz	144	604402
172*95*67	8oz	96	604403
190*105*77	10oz	72	604404
190*105*77	16oz	72	604405

MEASURING SPOON



Size(mm)	Qty of spoons	Item No.
45x136x19	4	500901
45x136x19	5	500902
45x136x19	5	500903

MEASURING SPOON

- Coffee bean:8g/spoon
- Coffee powder:10g/spoon
- Material: SS304&1.5mm



size(mm)	PCS/CTN	Item No.
Φ44*L220	100	501001

